

EAST Search History

10/782,137

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	210	((database or (data adj store)) with (hash adj functions)) and @ad<"20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 12:20
L2	82	L1 and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 12:21
L3	2	707/204.ccls. and L1 and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 12:21
L4	4	707/4.ccls. and L1 and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 12:21
L5	6	707/102.ccls. and L1 and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 12:21
L6	8	707/101.ccls. and L1 and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 12:21
L7	1	707/5.ccls. and L1 and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 12:21
L8	0	707/6.ccls. and L1 and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 12:21
S1	2	("20040220975").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 18:33

EAST Search History

S2	0	("((databaseor(dataadjstore))with(hashadjfunctions))and@ad<20030221").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/06 16:52
S3	202	((database or (data adj store)) with (hash adj functions)) and @ad<"20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 09:28
S4	79	S3 and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:39
S5	19	S3 and (data adj structure) and association	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 16:53
S6	3	S3 and (data adj structure) and association and ((stor\$4 or sav\$3) with file with (database or (data adj stor)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 16:57
S7	5	S3 and ((data adj structure) or table) and association and ((stor\$4 or sav\$3) with file with (database or (data adj stor)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 16:57
S8	14	((database or (data adj store)) with ((hash adj functions) or (message adj digest)) with verif\$6) and @ad<"20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 16:22
S9	2	"5694569".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 16:34
S10	63	((database or (data adj store) or file) with ((hash adj functions) or (message adj digest)) with verif\$6) and @ad<"20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 16:23
S11	63	((database or (data adj store) or file) with ((hash adj functions) or (message adj digests)) with verif\$6) and @ad<"20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 16:23

EAST Search History

S12	12	((database or (data adj store) or file) with ((hash adj functions) or (message adj digests)) near2 verif\$6) and @ad<"20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 16:33
S13	6	"5694569".pn. or "20030188180" or "6745327".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 16:47
S14	8	"5694569".pn. or "20030188180" or "6745327".pn. or "6076077".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 17:00
S15	10	"5694569".pn. or "20030188180" or "6745327".pn. or "6076077".pn. or "5742807".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 17:00
S16	4	"20030005306" or "5742087".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/08 15:19
S17	0	("20030005306" or "5742087".pn.) with database with search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/08 15:19
S18	2	"20050187970"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/08 18:35
S19	2	"20050182773"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/08 18:36
S20	2	"20050186576"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 10:27
S21	34	((database or (data adj store)) with (hash adj functions)) and @ad<"20030221" and (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 10:02

EAST Search History

S22	0	((database or (data adj store)) with (hash adj functions) with (random adj number)) and @ad<"20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 09:29
S23	2	((database or (data adj store)) with (hash adj functions) same(random adj number)) and @ad<"20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 09:29
S24	6	((database or (data adj store)) with (hash adj functions)) and @ad<"20030221" and (random adj number with (location or address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 09:32
S25	1686	(hash adj functions) and @ad<"20030221" and (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:41
S26	0	(hash adj functions) and @ad<"20030221" and (stor\$4 with file with database with (random adj number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 10:03
S27	0	(hash adj function) and @ad<"20030221" and (stor\$4 with file with database with (random adj number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 10:03
S28	16	(hash adj function) and @ad<"20030221" and (stor\$4 with file with (random adj number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/04 12:06
S29	7	(hash adj function) and @ad<"20030221" and (stor\$4 with file with (random adj number)) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 10:09
S30	8	(hash) and @ad<"20030221" and (stor\$4 with file with (random adj number)) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 10:10
S31	202	((database or (data adj store)) with (hash adj functions)) and @ad<"20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:39

EAST Search History

S33	6	707/1.ccls. and S31 and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:40
S34	2	707/205.ccls. and S31 and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:40
S35	0	707/9.ccls. and S31 and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:41
S36	10	707/9.ccls. and (hash adj functions) and @ad<"20030221" and (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:41
S37	2	707/205.ccls. and (hash adj functions) and @ad<"20030221" and (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:41
S38	4	"6732161".pn. or "20030090958"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 17:29
S39	4	"6732161".pn. or "20030050958"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 17:30
S40	1792	(hash adj functions)and @ad<"20030221" and (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/04 11:54
S41	1369	(hash adj functions)and @ad>"20030221" and (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/04 11:54
S42	436	(hash adj functions)and @ad>"20050221" and (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/04 11:55

EAST Search History

S43	109	(hash adj functions)and @ad>"20060221" and (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/04 11:55
S44	32	(hash adj functions)and @ad>"20060621" and (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/04 12:04
S45	6111708	hash with firstwith second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/04 12:04
S46	2478	hash with first with second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/04 12:05
S47	1054	hash with first with second with values	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/04 12:07
S48	2	hash with first with second with values with files with database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/04 12:05
S49	16	(hash adj function) and @ad<"20030221" and (stor\$4 with file with (random adj number)) and @ad < "20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/04 12:06
S50	36	(hash with first with second with values with files)and @ad < "20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/04 12:07
S51	10	((hash near2 first) with (second near2 hash) with values with files)and @ad < "20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/04 12:08
S52	10	((hash near2 first) with (second near2 hash) with values with file)and @ad < "20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/04 12:09

EAST Search History

S53	69	(hash adj functions) and @ad<"20030221" and (file with unique with identif\$7) and (hash adj values)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 19:54
S54	55	(hash adj functions) and @ad<"20030221" and (file with unique with identif\$7) and (hash adj values) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 19:54
S55	7	(hash adj functions) and @ad<"20030221" and (file with unique with identif\$7) and (hash adj values) and (database with retriev\$4 with file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:07
S56	0	(hash adj functions) and @ad<"20030221" and (file adj unique adj identif\$7) and (hash adj values) and (database with retriev\$4 with file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:07
S57	0	(hash adj functions) and @ad<"20030221" and (file adj unique adj identif\$7) and (hash adj values) and (retriev\$4 with file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:08
S58	12	(file adj unique adj identif\$7)and @ad<"20030221" and (hash adj values) and (retriev\$4 with file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:08
S59	2	("20040220975").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/08 20:23
S60	0	("((databaseor(dataadjstore))with(hashadjfunctions))and@ad<20030221").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/08 20:23
S61	210	((database or (data adj store)) with (hash adj functions)) and @ad<"20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S62	82	S61 and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23

EAST Search History

S63	20	S61 and (data adj structure) and association	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S64	4	S61 and (data adj structure) and association and ((stor\$4 or sav\$3) with file with (database or (data adj stor)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S65	6	S61 and ((data adj structure) or table) and association and ((stor\$4 or sav\$3) with file with (database or (data adj stor)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S66	15	((database or (data adj store)) with ((hash adj functions) or (message adj digest)) with verif\$6) and @ad<"20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S67	2	"5694569".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S68	71	((database or (data adj store) or file) with ((hash adj functions) or (message adj digest)) with verif\$6) and @ad<"20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S69	71	((database or (data adj store) or file) with ((hash adj functions) or (message adj digests)) with verif\$6) and @ad<"20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S70	13	((database or (data adj store) or file) with ((hash adj functions) or (message adj digests)) near2 verif\$6) and @ad<"20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S71	6	"5694569".pn. or "20030188180" or "6745327".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S72	8	"5694569".pn. or "20030188180" or "6745327".pn. or "6076077".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23

EAST Search History

S73	10	"5694569".pn. or "20030188180" or "6745327".pn. or "6076077".pn. or "5742807".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S74	4	"20030005306" or "5742087".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 10:40
S75	0	("20030005306" or "5742087".pn.) with database with search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S76	2	"20050187970"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S77	3	"20050182773"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S78	2	"20050186576"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S79	0	((database or (data adj store)) with (hash adj functions) with (random adj number)) and @ad<"20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S80	2	((database or (data adj store)) with (hash adj functions) same(random adj number)) and @ad<"20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S81	6	((database or (data adj store)) with (hash adj functions)) and @ad<"20030221" and (random adj number with (location or address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S82	39	((database or (data adj store)) with (hash adj functions)) and @ad<"20030221" and (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23

EAST Search History

S83	1860	(hash adj functions) and @ad<"20030221" and (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S84	0	(hash adj functions) and @ad<"20030221" and (stor\$4 with file with database with (random adj number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S85	0	(hash adj function) and @ad<"20030221" and (stor\$4 with file with database with (random adj number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S86	16	(hash adj function) and @ad<"20030221" and (stor\$4 with file with (random adj number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S87	7	(hash adj function) and @ad<"20030221" and (stor\$4 with file with (random adj number)) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S88	9	(hash) and @ad<"20030221" and (stor\$4 with file with (random adj number)) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S89	210	((database or (data adj store)) with (hash adj functions)) and @ad<"20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S90	82	S89 and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S91	6	707/1.ccls. and S89 and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S92	2	707/205.ccls. and S89 and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23

EAST Search History

S93	0	707/9.ccls. and S89 and (data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S94	11	707/9.ccls. and (hash adj functions) and @ad<"20030221" and (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S95	2	707/205.ccls. and (hash adj functions) and @ad<"20030221" and (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S96	4	"6732161".pn. or "20030050958"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S97	4	"6732161".pn. or "20030090958"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S98	1543	(hash adj functions)and @ad>"20030221" and (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S99	1155	hash with first with second with values	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S100	2	hash with first with second with values with files with database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S101	16	(hash adj function) and @ad<"20030221" and (stor\$4 with file with (random adj number)) and @ad < "20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S102	2679	hash with first with second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23

EAST Search History

S10 3	37	(hash with first with second with values with files)and @ad < "20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S10 4	10	((hash near2 first) with (second near2 hash) with values with files)and @ad < "20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S10 5	111	(hash adj functions)and @ad>"20060621" and (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S10 6	200	(hash adj functions)and @ad>"20060221" and (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S10 7	575	(hash adj functions)and @ad>"20050221" and (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S10 8	10	((hash near2 first) with (second near2 hash) with values with file)and @ad < "20030221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S10 9	6288103	hash with firstwith second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S11 0	1860	(hash adj functions)and @ad<"20030221" and (random adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 20:23
S11 1	5	"20010027450" or "20030009538"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 10:29
S11 2	2	"20010027450" or "20030009538"	US-PGPUB	OR	ON	2007/06/09 10:29
S11 3	0	("20010027450" or "20030009538") and (hash near3 address)	US-PGPUB	OR	ON	2007/06/09 10:29

EAST Search History

S11 4	0	("20010027450" or "20030009538") and (hash with address)	US-PGPUB	OR	ON	2007/06/09 10:29
S11 5	0	("20010027450" or "20030009538") and (hash same address)	US-PGPUB	OR	ON	2007/06/09 10:30
S11 6	2	("20010027450" or "20030009538") and (hash or address)	US-PGPUB	OR	ON	2007/06/09 10:30
S11 7	2	("20010027450" or "20030009538") and (hash and address)	US-PGPUB	OR	ON	2007/06/09 10:30
S11 8	2	"5742087".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 11:10
S11 9	2	"5742087".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 10:40
S12 0	2	"5742807".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 10:47
S12 1	43	((hash\$3 near2 address) with file) and @ad < "20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 10:48
S12 2	43	((hash\$3 near2 address) with file) and @ad < "20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 10:52
S12 3	3	((hash\$3 near2 address near2 function) with file) and @ad < "20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 10:54

EAST Search History

S12 4	13	((hash\$3 adj address) with file) and @ad < "20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 10:58
S12 5	25	(hash\$3 near2 address near5 file) and @ad < "20030221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 10:58
S12 6	2	"6138237".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 11:10